


DATA SHEET



Medical Device Cable (NUMDC-H)

Features

- Provides the interface for an external input
- 3 Priority settings
- Connection status monitored
- Signalling of intentional/unintentional disconnect
- Test Button to check the connection and priority setting

Instructions for Use



Location	http://www.ascom.com/eifu
Viewing requirements	Device with internet access, web browser and PDF reader.
Document ID	TD 93433
Email	support@ascom.com
Note	Instructions for use are supplied in electronic form, instructions in paper format may be requested by contacting Ascom using the indicated number and will be delivered within 7 calendar days.

Specifications are subject to change without notice

Technical Specifications

Medical Device Cable Overview

Item	NUMDC-H
-------------	----------------

Material

Material (housing)	PBT/PC enclosure rated UL94–V0
Color	Housing: White (NCS S0603–G80Y)
Dimensions (W x H x D)	66 x 24 x 18 mm (2.60 x 0.94 x 0.70 in) (control unit)
Weight	150g (5.29oz)
Cord length	2.9m (114in)

Electrical

Electrical rating	Current consumption: 5mA at 5.5Vdc
Electrical connections	2 wires
Connection socket	Ascom SafeConnect socket (Max 35N breakaway force)

Compatibility

Software Compatibility	Telligence 5.0 or higher teleCARE IP 13.0 or higher
Hardware Compatibility	NIRC4–xMN NUMI2A-HE

Environmental

Operating temperature	0°C to 50°C (32°F to 122°F)
Storage temperature	-25°C to 55°C (-13°F to 131°F)
Relative Humidity	0 to 95%, non condensing at 40°C (104°F)
Enclosure protection rating	IP44

Specifications are subject to change without notice

Compliance to Regulations and Standards

Declaration of Conformity

The following complies with the relevant dates and amendments of all the following standards (valid references to dates and amendments are stated in the Declaration of Conformity):

Regulatory Compliance EU/EFTA



EN 62368-1
 EN 55032 (CISPR32) Class B
 EN 55035 (CISPR35) Class B
 EN 60601-1
 EN 63000 (RoHS)
 REACH

Regulatory Compliance US/CAN



UL/CSA 62368-1
 ANSI/UL 1069
 ANSI/UL 2560
 CAN/CSA C22.2 No. 205
 FCC part 15B
 ICES-003

Regulatory Compliance UK



Basic compliance of EU/EFTA standards if not superseded by UK regulations.
 UK RoHS
 HTM 08-03

Regulatory Compliance ANZ



AS/NZS 62368-1
 EN 55032 (CISPR32) Class B

Specifications are subject to change without notice

Ascom (Sweden) AB

Grimbodalen 2

SE-417 49 Göteborg

Sweden

Phone +46 31 55 93 00

www.ascom.com

ascom